

1987 DODGE RAMCHARGER



RAMCHARGER 4x4

THE SMOOTH ROUGHRIDER

Break camp. Then break new ground in your 1987 Ramcharger 4x4, the quality-built sport utility that thrives on tough going. Because it's Ram Tough—perfect for a ride on the wild side. And Ram Smooth—ideal for putting the highway behind you with ease, too. You can shift the Ram Trac system between four-wheel drive and two-wheel drive at speeds up to

55 mph without getting out to lock and unlock hubs. Ramcharger 4x4 can tow up to 6,000 pounds when properly equipped and powered by the available 5.9-liter V-8 engine. And its corrosion-resistant exhaust system turns all that power into a purr.

1987 Ramcharger 4x4. Tough, smooth and smart. Backed by the 5/50 Limited Warranty.*

*See back cover for details.



Some of the equipment shown or described throughout this catalog is available at extra cost.

About this catalog: Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

Ramcharger LE 4x4, shown above and on the cover in Twilight Blue Pearl Coat/Ice Blue.

RAMCHARGER TWO

COUNTRY TOUGH, STREET SMART

Load your family into 1987 Ramcharger Two, the only full-size two-wheel drive sport utility. It has more passenger room than a station wagon. Greater load capacity. Durability and reliability. Dodge Ram toughness. And Ramcharger Two can tow up to 6,500 pounds when properly equipped.

Turn the key. A standard 400-amp maintenance-free battery and the electronic ignition system fire up the standard 5.2-liter engine. Engage the three-speed automatic transmission. You're off, under control with power-assisted steering and power-assisted front disc and rear drum brakes.

1987 Ramcharger Two. It's tough stuff. For the family that rides only a thoroughbred.



Ramcharger Two shown above in White.

INTERIORS

SOFT SPOT

1987 Ramcharger is mighty tough. But inside, the cloth high-back front bucket and rear bench seats, included on Ramcharger LE models and shown here in Twilight Blue, are comfortable enough for car-driving dudes. Plus, each Ramcharger model offers an available split-back bench seat. And either the family or sport driver will marvel at the firm feel of the new 15-inch deluxe steering wheel.

There's room. There's class. There's thoughtful design. You'll wind up loving 1987 Ramcharger from the inside out.



OPTIONS AND PACKAGES



Certain models, packages and options are subject to specific restrictions, requirements, or late availability. See your dealer for the latest ordering information.

A. BRIGHT REAR STEP BUMPER.

Strong and tough. A corrugated surface helps footing. Handy for climbing in back, or support while loading cargo.

B. WHEEL COVERS AND ROAD WHEELS.

Set of four reflects personal taste.

C. AUTOMATIC SPEED CONTROL.

Automatically maintains your present speed.

D. AM STEREO*/FM STEREO RADIO.

Dual-speaker stereo sound, electronically tuned; includes integral digital clock.

*Some AM stereo broadcasting may not be compatible with this radio.

E. AIR CONDITIONING.

Cool down fast with bi-level ventilation, four adjustable air outlets and four-speed blower.

F. DUAL EXTERIOR LOW-MOUNT MIRRORS.

Unfold these 6" x 9" mirrors

for exceptional rear vision—on the road and when backing up.

LE DECOR PACKAGE

Exterior

- Bright drip rail molding
- Bright grille with bright insert and bright headlight bezels; halogen headlights
- Bright liftgate applique panel
- Bright liftgate upper and lower moldings
- Bright taillight housing
- Front fender Leaping Ram plaque "150 LE"
- Ram's Head hood ornament

Interior

- Bright door sill scuff plate
- Center console
- Color-keyed carpeting throughout, with underlayment
- Color-keyed cowl side trim panels
- Color-keyed door trim panels with cloth bolster insert, assist strap, and carpeting on lower door
- Color-keyed rear side and liftgate inner trim panels with woodtone applique
- Color-keyed spare tire cover (not available with 31 x 10.5R15LT tires)
- Deluxe cloth with vinyl trim high-back bucket seats

- Folding rear bench seat in cloth with vinyl trim
- Luxury steering wheel (black)
- Nameplate on instrument panel: "Dodge LE—Engineered Ram Tough"
- Woodtone applique on instrument panel; bright trim, storage box

HEAVY-DUTY PACKAGE

- Front stabilizer bar on AD150
- Heavy-duty front stabilizer bar on AW150
- Heavy-duty shock absorbers, front and rear

POWER CONVENIENCE PACKAGE

- Power locks (front doors only)
- Power windows (front doors only)

CONVENIENCE PACKAGE

- Ash receiver light
- Glove box lock and light
- Intermittent windshield wipers

TWO-TONE PAINT PACKAGE

- Lower bodyside moldings with black vinyl insert and bright partial wheel lip moldings
- Two-tone paint
- Upper side and rear exterior moldings

PROSPECTOR PACKAGES

Package I

- Convenience Package
- Deluxe wheel covers, bright
- Grille with bright insert, headlight bezels, halogen headlights and Ram's Head hood ornament
- Power Convenience Package
- Sunscreen glass (rear quarter and liftgate windows only)

Package II

- All the items in Package I plus:
- Dual 6-inch by 9-inch low-mount mirrors
 - LE Decor Package

Package III

- Air conditioning
- Aluminum ribbed road wheels (set of four)
 - AM stereo*/FM stereo radio, electronically tuned, with integral clock
 - Convenience Package
 - Dual low-mount 6-inch by 9-inch mirrors
 - LE Decor Package
 - P235/75R15XL radial raised white letter tires
 - Power Convenience Package
 - Speed control
 - Sunscreen glass (rear quarter and liftgate windows only)
 - Two-Tone Paint Package

*Some AM stereo broadcasting may not be compatible with this radio.



Ramcharger 4x4, shown in Black.

RAMCHARGER EXTERIOR COLORS



NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips. *Extra cost.

INTERIOR TRIM



Ramcharger with LE Decor Package. Tempo cloth with vinyl trim high-back Command bucket seats with inboard folding armrests and matching three-passenger folding rear bench seat are included as part of this LE Decor Package. Available in Almond, Blue and Red.

Ramcharger with LE Decor Package and Ramcharger with Standard Decor—No Charge Option. Saddle Grain, all-vinyl split-back front bench seat and matching three-passenger folding rear bench seat is available as a No-Change Option. Available in Almond, Blue and Red. (LE Decor Shown)

Ramcharger Standard Decor with Standard Trim—Ramcharger with LE Decor Package No Charge Option. Saddle Grain all-vinyl high-back Command bucket seats with inboard folding armrests and matching three-passenger folding rear bench seat are available in Almond, Blue and Red. (LE Decor Shown)

RECOMMENDED TRAILER TOWING EQUIPMENT

To protect your warranty when towing over 2,000 pounds, see the 1987 Dodge Truck and Car Trailer Towing Guide for recommended trailer weights, GCW ratings and drive line combinations. This guide also shows recommended vehicle equipment available as factory option or dealer installed.



CHRYSLER MOTORS GENUINE PARTS

MOPAR parts are engineered by Chrysler Motors for use in your new Dodge Ramcharger. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

5/50 LIMITED WARRANTY

Upon expiration of the basic 12-month or 12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components to five years or 50,000 miles (two years or 24,000 miles for fleet and lease vehicles), plus outer panel rust-through protection of five years or 50,000 miles. A deductible may be required. Export vehicles excluded. See copy at your dealer.

Buckle up for safety

CONSIDER LEASING

Many of today's new car prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Ramcharger usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.

Specifications, descriptions and illustrative materials contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Motors reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. All options and accessories illustrated or referred to as optional or available in this publication are at extra cost. Some options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Truck dealer.



STANDARD AND OPTIONAL EQUIPMENT

	AD110 Two-Wheel Drive	AW110 Four-Wheel Drive
Air Cleaner - Dry type	S	S
Air Conditioning†	E	E
Alternator - 78-amp	S	S
Alternator - 110-amp	E	E
Antifreeze	S	S
Antilock - Driver's compartment	S	S
Axle - Rear, integral	E	E
Battery - 80-amp maintenance-free	S	S
Battery - 100-amp maintenance-free	E	E
Brakes - Front disc, rear self-adjusting drum, power assisted	S	S
Bumper - Front, step-type, height adjustable	E	E
Bumper Guards - Front	E	E
Bumpers - Front and rear, height adjustable	S	S
Buzzer Warning - Fuses not both, headlights on, key in ignition	E	E
Cage Lights	S	S
Clutch - Electronic digital integral with radio	S	S
Coastdown Reserve System	S	S
Cooling - Auxiliary, transmission oil to air	E	E
Cooling - Engine, mechanical	E	E
Corrosion Protection - Extensive use of galvanized steel, Upjohn® anti-rust protective urethane coating on lower bodyshell	S	S
Dash Light - Integral	S	S
Electronic Ignition and Voltage Regulation System	S	S
Exhaust Emission Control System	S	S
Exhaust System - Stainless steel	S	S
Floor Mats - With padding, black (padding not available in rear compartment)	S	S
Fuel Tank - 11-gallon, with attached fuel filter cap	S	S
Glass - Side/rear privacy (rear quarter windows and liftgate only)	E	E
Glass - Tempered, all windows	E	E
Glove Box - With door	S	S
Grille - Aluminum with painted plastic insert and headlight bezels	S	S
Headliner - Soft cloth, color-keyed	S	S
Horn - Engine block	E	E
Horn - Fresh air, with defroster	S	S
Hood - Inner panel insulation	S	S
Hood Release - In-cab	S	S
Horns - Dual-note, electric	E	E
Hullcaps - Bright	S	S
Instrument Cluster - Includes ammeter, voltmeter, speedometer, gauges for engine coolant temperature, fuel level and oil pressure, trip odometer	S	S
Jack - Air-type	S	S
Lights - Backup, license plate, stop, tailight, combination map/courtesy light on instrument panel, rear compartment courtesy lights	S	S
Mirror - Interior, rear view, day/night type, 10-inch	S	S
Mirrors - Exterior dual, low-mount, 8-inch by 7-inch, bright	E	E
Mirrors - Exterior dual, short arm, 5-inch by 7-inch, bright	E	E
Moldings - Lower bodyshell with black vinyl insert and partial wheel lip, bright	E	E
Moldings - Quarter side window, rear window, windshield, bright	S	S
Oil Filter - Thermostatic type	S	S
Power-Assisted Steering	S	S
Radio - AM electronically tuned, integral digital clock*	S	S
Radio - AM stereo/AM stereo electronically tuned, integral digital clock	E	E
Radio - AM stereo/AM stereo electronically tuned with seek-and-scan, Dynamic Noise Reduction, cassette tape player with automatic reverse, integral digital clock	E	E
Rear View - Rear	S	S
Seat - Rear, three-passenger bench	S	S
Seat - Driver and front passenger, deluxe vinyl high-back bucket	S	S
Shield - Fuel tank	E	E
Shield - Transfer case	E	E
Shock Absorbers - Front and rear	NA	NA
Spare Tire Mounting - Inside	S	S
Speed Control - Automatic	E	E
Sport Bar - Front	E	E
Subfloor Bar - Front	E	E
Steering Column - Tin type (automatic transmission required on AW110 models)	S	S
Sun Visor - Driver and passenger	S	S
Wheel Covers - Deluxe, bright (steel)	E	E
Wheels - Road, 15-inch by 7-inch, silver painted steel spoker with bright trim ring and hub center (steel)	E	E
Wheels - Road, 15-inch by 7-inch, radial ribbed aluminum (steel)	E	E
Windshield Wipers - Dual jet	S	S
Windshield Wipers - Two-speed	S	S
Windshield Wipers - Two-speed, with intermittent wipe	E	E

S - Standard. *May be deleted for credit on factory orders.
 E - Extra cost. †Dynamic Noise Reduction may not be compatible with this radio.
 P - Package. ‡Dynamic Noise Reduction is a trademark of National Semiconductor Corporation.
 NA - Not available. †Upjohn is a trademark of PPG Industries, Inc.
 Special engine cooling requirements for field-installed air conditioning. Failure to follow requirements may invalidate warranty. See dealer for details.

SPECIFICATIONS

	AD110 Two-Wheel Drive	AW110 Four-Wheel Drive
GW Rating (lb) - 9000kg	5,500	6,000/6,400
Maximum Load Rating (lb)†	1,875	1,815/1,805
Axle, Front - Type	Chrysler	Spicer
Capacity (lb)	1,000	3,500 - 4,000
Axle, Rear - Type	Chrysler	Chrysler
Capacity (lb)	1,600	1,600
Ratio‡	2.94:1 3.21:1† 3.55:1†	3.21:1 3.55:1†
Brakes - Size (inches)		
Front Disc	11.75" x 1.25"	11.75" x 1.25"
Rear Drum	11" x 2.5"	11" x 2.5"
Frontier - Vacuum	10.5" dia single diaphragm	1.05" dia single diaphragm
Brakes, Parking - Type	Rear wheel, internal expanding	Rear wheel, internal expanding
Control	Foot pedal	Foot pedal
Area	95.3 sq in.	95.3 sq in.
Clutch - Diameter (inches)	—	11" - 11.50 sq in.
Electrical Alternator	78-amp	78-amp / 120-amp†
Battery - Maintenance-Free	800-amp	800-amp / 500-amp†
Engine	5.2-liter 164 CID 2-444 V-6 90 5.9-liter 160 CID 4-444 V-6 90	5.2-liter 164 CID 2-444 V-6 90 5.9-liter 160 CID 4-444 V-6 90
Frame - Type	Deep frame	Deep frame
Section Modulus	1.84	1.84
Hubs, Front	—	Automatic disc/steer
Shock Absorbers (inches)		
Front	1.075	1.075
Rear	1.075	1.075
Springs, Front - Type	Independent front suspension - coil	40" x 1.5" leaf
Capacity (lb) - Grossal (lb)	1,440	1,500
Springs, Rear - Type	17" x 2.5" leaf	17" x 2.5" leaf
Capacity (lb) - Grossal (lb)	1,620	1,620
Steering - Type	Power-assisted steering	Power-assisted steering
Turning Diameter	37.7'	36.5'
Transmission	3-speed automatic	NP411 4-speed manual‡ 3-speed automatic†§
Transfer Case	—	NP208 2-speed
Tires, Front and Rear (Size)	P215/71R15XL steel-belted radial	P215/75R15XL steel-belted radial
Wheels (Size)		
Conventional Five-Ring Disc	15" x 6.50"	15" x 6.50"

S - Standard equipment. O - Optional equipment. † Maximum payloads are based on models with minimum required load-carrying components. Payloads should be reduced by weight of occupants and any optional equipment.
 ‡ Specific axle ratios may be restricted for use with certain engine/transmission combinations. See your Dodge dealer for details.
 § Standard on AW110 with 5,400-pound GVW.
 ¶ Not available in California.

AMERICA'S BEST BACKED TRUCKS ARE RAM TOUGH